



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/981,253	10/18/2001	Takefumi Nagata	Q66677	5979

7590 11/01/2006
SUGHRUE, MION, ZINN, MACPEAK & SEAS, PLLC
2100 Pennsylvania Avenue, N.W.
Washington, DC 20037-3202

EXAMINER

DANG, DUY M

ART UNIT PAPER NUMBER

2624

DATE MAILED: 11/01/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No. 09/981,253	Applicant(s) NAGATA ET AL.	
	Examiner Duy M. Dang	Art Unit 2624	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 22 August 2006.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-9 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-9 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submissions filed on April 03, 2006 and August 22, 2006 have been entered.

Claim Rejections - 35 USC § 102

2. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.
3. Claims 1 and 3 are rejected under 35 U.S.C. 102(b) as being anticipated by Nakazawa et al. (USPN 5,319,719. Referred as Nakazawa hereinafter).

The advanced statements set forth in paragraph 3 of the previous Office action mailed on August 22, 2005 is incorporated herein.

With regard to the newly added features of “wherein the chest tomographic image includes a low density range that is unaffected by the compression of the high density range” that are recited in claims 1 and 3, Nakazawa further teaches these claimed features as mentioned in equations 1-3 denoted at column 14 lines 30-45. This interpretation is consistent with applicant’s disclosed page 7 lines 4-6 of the specification.

Claim Rejections - 35 USC § 103

4. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

5. Claims 2 and 4 are rejected under 35 U.S.C. 103(a) as being unpatentable over Nakazawa in view of Tsuchino et al. (USPN 5,493,622. Referred as Tsuchino hereinafter).

The advanced statements set forth in paragraph 5 of the previous Office action mailed on August 22, 2005 is incorporated herein.

6. Claim 5 is rejected under 35 U.S.C. 103(a) as being unpatentable over Nakazawa in view of Wang et al. (USPN 6,424,730. Referred as Wang hereinafter).

The advanced statements set forth in paragraph 7 of the previous Office action mailed on August 22, 2005 is incorporated herein.

With regard to the newly added features of “wherein the chest tomographic image includes a low density range that is uneffected by the compression of the high density range” that are recited in claim 5, Nakazawa further teaches these claimed features as mentioned in equations 1-3 denoted at column 14 lines 30-45 (refer to right term comprising beta, A and Qus of the equations). This interpretation is consistent with applicant’s disclosed page 7 lines 4-6 of the specification.

7. Claims 6-9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Nakazawa in view of Wang as applied to claim 5 above, and further in view of Tsuchino.

The advanced statements set forth in paragraph 9 of the previous Office action mailed on August 22, 2005 is incorporated herein.

Conclusion

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Duy M. Dang whose telephone number is 571-272-7389. The examiner can normally be reached on Monday to Friday from 6:00AM to 2:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Matthew C. Bella can be reached on 571-272-7778. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

dmd
10/06



**DUY M. DANG
PRIMARY EXAMINER**